



## BUS AND COACH OPTIONS & QUOTATION CALCULATOR

### INSTRUCTIONS

1. Please print details below.
2. Fill in Contact Details.
3. Place "✓" in "Select" column adjacent to option required.
4. Fax completed document to Attn: Bob Anslow Fax No. 07 3205 3550.
5. Quotation will be provided within 3 working days.

### CONTACT DETAILS:

Name:

---

Company:

---

Phone:

---

Email:

---

Address:

---

| Option     |                          | Specification  | O | M | V | Select |
|------------|--------------------------|--|---|---|---|--------|
| <b>B01</b> | <input type="checkbox"/> | <b>BODY TYPE</b>   |   |   |   |        |
| B0101      | ◆                        | Orbit School / Route Bus Body  | Y |   |   |        |
| B0102      | ◆                        | Majestic <i>CharterCoach</i> Body                                      |   | Y |   |        |
| B0103      | ◆                        | Valere Touring Charter Coach Body                                      |   |   | Y |        |
| B0104      | ◆                        | Other  |   |   |   |        |
| <b>B02</b> | <input type="checkbox"/> | <b>BODY LENGTH</b>   |   |   |   |        |
| B0201      | ◆                        | 11.85m Body  | Y |   |   |        |
| B0202      | ◆                        | 12.32m Body  | Y | Y | Y |        |
| B0203      | ◆                        | 12.50m Body  | Y | Y | Y |        |
| B0204      | ◆                        | 13.50m Body  | Y | Y | Y |        |
| B0205      | ◆                        | 14.32m Body  |   | Y | Y |        |
| B0206      | ◆                        | 14.50m Body  |   | Y | Y |        |
| additional | ◆                        |  |   |   |   |        |
| <b>B03</b> | <input type="checkbox"/> | <b>FLOOR HEIGHT</b>  |   |   |   |        |
| B0301      | ◆                        | 1250mm floor height to ground  | Y |   |   |        |
| B0302      | ◆                        | 1500mm floor height to ground  |   | Y |   |        |
| B0303      | ◆                        | 1650mm floor height to ground  |   |   | Y |        |
| additional | ◆                        |  |   |   |   |        |
| <b>B04</b> | <input type="checkbox"/> | <b>FLOOR ARRANGEMENT</b>   |   |   |   |        |
| B0401      | ◆                        | Flat saloon floor, with ramped front section to suit 11.85m Orbit body | Y |   |   |        |
| B0402      | ◆                        | Flat saloon floor, with ramped front section to suit 12.32m Orbit body | Y |   |   |        |
| B0403      | ◆                        | Flat saloon floor, with ramped front section to suit 12.50m Orbit body | Y |   |   |        |
| B0404      | ◆                        | Flat saloon floor, with ramped front section to suit 13.50m Orbit body | Y |   |   |        |
| B0405      | ◆                        | Flat saloon floor, with ramped front section to suit 12.32m coach body |   | Y | Y |        |

|              |   |   |   |   |   |          |
|--------------|---|---|---|---|---|----------|
| <b>B0406</b> | ◆ | Flat saloon floor, with ramped front section to suit 12.50m coach body      |   |   |   |          |
| <b>B0407</b> | ◆ | Flat saloon floor, with ramped front section to suit 13.50m coach body      |   | Y | Y |          |
| <b>B0408</b> | ◆ | Flat saloon floor, with ramped front section to suit 14.32m coach body      |   | Y | Y |          |
| <b>B0409</b> | ◆ | Flat saloon floor, with ramped front section to suit 14.50m coach body      |   | Y | Y |          |
| <b>B0410</b> | ◆ | Flat saloon floor, with ramped front aisle to suit 12.32m coach body        |   |   |   |          |
| <b>B0411</b> | ◆ | Flat saloon floor, with ramped front aisle to suit 12.50m coach body        |   |   |   |          |
| <b>B0412</b> | ◆ | Flat saloon floor, with ramped front aisle to suit 13.50m coach body        |   |   |   |          |
| <b>B0413</b> | ◆ | Flat saloon floor, with ramped front aisle to suit 14.32m coach body        |   |   |   |          |
| <b>B0414</b> | ◆ | Flat saloon floor, with ramped front aisle to suit 14.50m coach body        |   |   |   |          |
| <b>B0415</b> | ◆ | Aisle saloon floor, to suit 12.32m coach body                               |   |   | Y |          |
| <b>B0416</b> | ◆ | Aisle saloon floor, to suit 12.50m coach body                               |   |   |   |          |
| <b>B0417</b> | ◆ | Aisle saloon floor, to suit 13.50m coach body                               |   |   | Y |          |
| <b>B0418</b> | ◆ | Aisle saloon floor, to suit 14.32m coach body                               |   |   | Y |          |
| <b>B0419</b> | ◆ | Aisle saloon floor, to suit 14.50m coach body                               |   |   | Y |          |
| <b>B0420</b> | ◆ | Flat saloon floor to suit 12.5m orbit body                                  | Y |   |   |          |
| additional   | ◆ |   |   |   |   |          |
| <b>B05</b>   | □ | <b>BODY FEATURES</b>  |   |   |   |          |
| <b>B0501</b> | ◆ | Full galvanised steel body frame construction                               | Y | Y | Y | <b>1</b> |
| <b>B0502</b> | ◆ | Marine grade floor ply, galvanised steel protection above wheels            | Y | Y | Y | <b>1</b> |
| <b>B0503</b> | ◆ | Floor hatches, as required, to service engine, transmission and accessories | Y | Y | Y | <b>1</b> |
| <b>B0504</b> | ◆ | Skid shoes to front incorp tow eye, and also to rear + 4 corner skids       | Y | Y | Y | <b>1</b> |
| <b>B0505</b> | ◆ | Towing eye to front frame, with eye bolt supplied in toolbox                |   | Y | Y |          |
| <b>B0506</b> | ◆ | Splash panels located in wheel arches as required                           | Y | Y | Y | <b>1</b> |
| <b>B0507</b> | ◆ | Acoustic insulation fitted to seat riser above engine and floor hatches     | Y | Y | Y | <b>1</b> |
| <b>B0508</b> | ◆ | Thermal insulation fitted to roof   | Y | Y | Y | <b>1</b> |
| <b>B0509</b> | ◆ | Low saloon entry, dropped nearside chassis rail                             | Y |   |   |          |
| additional   | ◆ |   |   |   |   |          |
| <b>C01</b>   | □ | <b>CHASSIS SELECTION</b>  |   |   |   |          |
| <b>C0101</b> | ◆ | Scania L94 Chassis  | Y | Y |   |          |
| <b>C0102</b> | ◆ | Scania K124 Chassis   |   | Y | Y |          |
| <b>C0103</b> | ◆ | Hino RK260 Chassis  | Y |   |   |          |
| <b>C0104</b> | ◆ | MAN 18t Chassis   | Y | Y |   |          |
| <b>C0105</b> | ◆ | MAN 24t Chassis   |   | Y | Y |          |
| <b>C0106</b> | ◆ | Volvo B7R School Bus Chassis  | Y |   |   |          |
| <b>C0107</b> | ◆ | Volvo B7R Buggy Chassis   | Y | Y |   |          |
| <b>C0108</b> | ◆ | Volvo B12B Chassis  |   | Y | Y |          |
| <b>C0109</b> | ◆ | Mercedes Benz 1725 Chassis  | Y | Y |   |          |
| <b>C0110</b> | ◆ | Mercedes Benz 0500 two axle Chassis   |   | Y | Y |          |
| <b>C0111</b> | ◆ | Mercedes Benz 0500 three axle Chassis                                       |   | Y | Y |          |
| <b>C0112</b> | ◆ | Eurorider Chassis   | Y | Y |   |          |
| <b>C0113</b> | ◆ | Irisbus FRH Chassis   | Y | Y |   |          |
| <b>C0114</b> | ◆ | Metrotec Chassis  | Y | Y |   |          |
| <b>C0115</b> | ◆ | Other   |   |   |   |          |
| <b>C02</b>   | □ | <b>ANCILLARY CHASSIS FEATURES</b>   |   |   |   |          |
| <b>C0201</b> | ◆ | Manual transmission   | Y | Y | Y |          |
|              | □ | Location of gear selector:<br>Dash  | Y | Y | Y |          |
| <b>C0202</b> | ◆ | Automatic transmission  | Y | Y | Y |          |
| <b>C0203</b> | ◆ | Air bag protectors, suit two axle chassis                                   | Y | Y | Y |          |
| <b>C0204</b> | ◆ | Air bag protectors, suit three axle chassis                                 |   | Y | Y |          |
| additional   | ◆ |   |   |   |   |          |
| <b>C03</b>   | □ | <b>CHASSIS EXTENSION</b>  |   |   |   |          |
| <b>C0301</b> | ◆ | No chassis extension  | Y | Y |   |          |
| <b>C0302</b> | ◆ | Scania L94 straight rail chassis extension suit 12.32m body length          | Y |   |   |          |

|            |   |  |   |   |   |  |
|------------|---|--|---|---|---|--|
| C0303      | ◆ | Scania L94 straight rail chassis extension suit 12.5m body length          | Y |   |   |  |
| C0311      | ◆ | Hino RK260 straight rail chassis extension suit 11.85m body length         | Y |   |   |  |
| C0312      | ◆ | Hino RK260 straight rail chassis extension suit 12.32m body length         | Y |   |   |  |
| C0321      | ◆ | Volvo B7R straight rail chassis extension suit 12.32m body length          | Y |   |   |  |
| C0323      | ◆ | Volvo B7R straight rail chassis extension suit 12.5m body length           | Y |   |   |  |
| C0329      | ◆ | Mercedes Benz 1725 straight rail chassis extension suit 12.32m body length | Y |   |   |  |
| C0330      | ◆ | Mercedes Benz 1725 straight rail chassis extension suit 12.5m body length  | Y | Y |   |  |
| C0336      | ◆ | Eurorider straight rail chassis extension suit 12.32m body length          | Y | Y |   |  |
| C0337      | ◆ | Eurorider straight rail chassis extension suit 12.5m body length           | Y | Y |   |  |
| C0338      | ◆ | Eurorider straight rail chassis extension suit 13.5m body length           | Y | Y |   |  |
| C0342      | ◆ | Metrotec straight rail chassis extension suit 12.32m body length           | Y | Y |   |  |
| C0343      | ◆ | Metrotec straight rail chassis extension suit 12.5m body length            | Y | Y |   |  |
| C0344      | ◆ | Metrotec straight rail chassis extension suit 13.5m body length            | Y | Y |   |  |
| C0304      | ◆ | Scania L94 space frame chassis extension suit 12.32m body length           | Y | Y |   |  |
| C0305      | ◆ | Scania L94 space frame chassis extension suit 12.5m body length            | Y | Y |   |  |
| C0306      | ◆ | Scania L94 space frame chassis extension suit 13.5m body length            | Y | Y |   |  |
| C0307      | ◆ | Scania K124 space frame chassis extension suit 12.32m body length          |   | Y | Y |  |
| C0308      | ◆ | Scania K124 space frame chassis extension suit 13.5m body length           |   | Y | Y |  |
| C0309      | ◆ | Scania K124 space frame chassis extension suit 14.32m body length          |   | Y | Y |  |
| C0310      | ◆ | Scania K124 space frame chassis extension suit 14.50m body length          |   | Y | Y |  |
| C0313      | ◆ | Hino RK260 space frame chassis extension suit 12.32m body length           | Y |   |   |  |
| C0314      | ◆ | MAN 18t space frame chassis extension suit 12.32m body length              | Y | Y |   |  |
| C0315      | ◆ | MAN 18t space frame chassis extension suit 12.5m body length               | Y | Y |   |  |
| C0316      | ◆ | MAN 18t space frame chassis extension suit 13.5m body length               | Y | Y |   |  |
| C0317      | ◆ | MAN 24t space frame chassis extension suit 12.32m body length              |   | Y | Y |  |
| C0318      | ◆ | MAN 24t space frame chassis extension suit 13.5m body length               |   | Y | Y |  |
| C0319      | ◆ | MAN 24t space frame chassis extension suit 14.32m body length              |   | Y | Y |  |
| C0320      | ◆ | MAN 24t space frame chassis extension suit 14.50m body length              |   | Y | Y |  |
| C0322      | ◆ | Volvo B7R space frame chassis extension suit 12.32m body length            | Y | Y |   |  |
| C0324      | ◆ | Volvo B7R space frame chassis extension suit 13.5m body length             | Y | Y |   |  |
| C0325      | ◆ | Volvo B12B space frame chassis extension suit 12.32m body length           |   | Y | Y |  |
| C0326      | ◆ | Volvo B12B space frame chassis extension suit 13.5m body length            |   | Y | Y |  |
| C0327      | ◆ | Volvo B12B space frame chassis extension suit 14.32m body length           |   | Y | Y |  |
| C0328      | ◆ | Volvo B12B space frame chassis extension suit 14.5m body length            |   | Y | Y |  |
| C0331      | ◆ | Mercedes Benz 1725 space frame chassis extension suit 12.32m body length   | Y | Y |   |  |
| C0332      | ◆ | Mercedes Benz 1725 space frame chassis extension suit 12.5m body length    | Y | Y |   |  |
| C0333      | ◆ | Mercedes Benz 1725 space frame chassis extension suit 13.5m body length    | Y | Y |   |  |
| C0334      | ◆ | Mercedes Benz 0500 space frame chassis extension suit 12.5m body length    |   | Y |   |  |
| C0335      | ◆ | Mercedes Benz 0500 space frame chassis extension suit 13.5m body length    |   | Y |   |  |
| C0339      | ◆ | Irisbus FRH space frame chassis extension suit 12.32m body length          | Y | Y |   |  |
| C0340      | ◆ | Irisbus FRH space frame chassis extension suit 12.5m body length           | Y | Y |   |  |
| C0341      | ◆ | Irisbus FRH space frame chassis extension suit 13.5m body length           | Y | Y |   |  |
| C0345      | ◆ | Metrotec space frame chassis extension suit 12.32m body length             | Y | Y |   |  |
| C0346      | ◆ | Metrotec space frame chassis extension suit 12.5m body length              | Y | Y |   |  |
| C0347      | ◆ | Metrotec space frame chassis extension suit 13.5m body length              | Y | Y |   |  |
| additional | ◆ |  |   |   |   |  |
| C04        | □ | <b>BATTERIES</b>   |   |   |   |  |
| C0401      | ◆ | Batteries and carrier, as supplied on chassis                              | Y | Y | Y |  |
| C0402      | ◆ | Batteries as supplied, in fixed carrier                                    | Y | Y | Y |  |
| C0403      | ◆ | Batteries as supplied, in slide out carrier                                | Y | Y | Y |  |
| C0404      | ◆ | Batteries as supplied, in swing out carrier                                | Y | Y | Y |  |
| C0405      | ◆ | Separate battery compartment with external access door                     | Y | Y | Y |  |

|            |   |   |   |   |   |
|------------|---|---|---|---|---|
| additional | ◆ |   |   |   |   |
| <b>C05</b> | □ | <b>FUEL TANK and ACCESSORIES</b>  |   |   |   |
| C0501      | ◆ | Connect fuel tank as supplied on chassis  | Y | Y | Y |
| C0502      | ◆ | Re-locate fuel tank to <i>{insert new location of fuel tank if relocated on chassis}</i>  | Y | Y | Y |
| C0503      | ◆ | MTA 800 litre fuel tank to suit Scania K124 chassis                                       |   | Y | Y |
| C0504      | ◆ | MTA 800 litre fuel tank to suit MAN 24t chassis   |   | Y | Y |
| C0505      | ◆ | MTA 800 litre fuel tank to suit Volvo B12B chassis  |   | Y | Y |
| additional | ◆ |   |   |   |   |
| C0506      | ◆ | Fuel filler access, with stainless steel drip panel.                                      | Y |   |   |
| C0507      | ◆ | Fuel filler flap to skirt panel N/S   | Y | Y | Y |
| C0508      | ◆ | Fuel filler flap to skirt panel O/S   | Y | Y | Y |
| C0509      | ◆ | Fuel filler flap and top hinged fuel tank access door N/S with claw catches               |   | Y | Y |
| C0510      | ◆ | Fuel filler flap and top hinged fuel tank access door O/S with claw catches               |   | Y | Y |
| C0513      | ◆ | Fuel filler flap and top hinged fuel tank access door N/S with non lockable cam lock      |   | Y | Y |
| C0514      | ◆ | Fuel filler flap and top hinged fuel tank access door O/S with non lockable cam lock      |   | Y | Y |
| C0515      | ◆ | Fuel filler flap and top hinged fuel tank access door N/S with lockable cam lock          |   | Y | Y |
| C0516      | ◆ | Fuel filler flap and top hinged fuel tank access door O/S with lockable cam lock          |   | Y | Y |
| C0517      | ◆ | "Fuel Capacity" decal fitted to dash binnacle   |   | Y | Y |
| additional | ◆ |   |   |   |   |
| <b>C06</b> | □ | <b>TOOLBOX</b>  |   |   |   |
| C0601      | ◆ | Key lockable toolbox in engine bay  | Y | Y | Y |
| C0602      | ◆ | Budget key lockable toolbox in bin  |   | Y | Y |
| C0603      | ◆ | Key lockable toolbox in front stepwell  |   | Y | Y |
| additional | ◆ |   |   |   |   |
| <b>C07</b> | □ | <b>SPARE WHEEL</b>  |   |   |   |
| C0701      | ◆ | Spare wheel located on vertical roll-out ramp   |   | Y | Y |
| C0702      | ◆ | Spare wheel located vertically against bin bulkhead                                       |   | Y | Y |
| C0703      | ◆ | Spare wheel located under front with winch  | Y | Y | Y |
| additional | ◆ |   |   |   |   |
| <b>B06</b> | □ | <b>EXTERIOR PANEL LAYOUT</b>  |   |   |   |
| B0601      | ◆ | Stretched aluminium upper side and aluminium segmented skirt panels                       | Y | Y |   |
| B0602      | ◆ | Composite fibreglass upper side panels, aluminium segmented skirt panels                  |   |   | Y |
| additional | ◆ |   |   |   |   |
| B0617      | ◆ | Electrical compartment with external door, located below driver, with budget lock         | Y | Y |   |
| B0618      | ◆ | Electrical compartment with external door, located below driver, key lockable with handle |   |   | Y |
| additional | ◆ |   |   |   |   |
| B0603      | ◆ | No Bins   | Y |   |   |
| B0604      | ◆ | Aluminium bin door frame and single skin panel, with camlock                              | Y | Y |   |
| B0605      | ◆ | Aluminium bin door frame and double skin panel, with camlock                              |   | Y | Y |
| B0606      | ◆ | Under and over bins bins, 2 doors n/s, 1 door o/s   | Y |   |   |
| B0607      | ◆ | Under and over bins, 2 doors n/s, 2 doors o/s   | Y |   |   |
| B0608      | ◆ | Saddle bin n/s, 1 door  | Y |   |   |
| B0609      | ◆ | Saddle bin n/s, 2 doors   | Y |   |   |
| B0610      | ◆ | Saddle bins, 2 doors n/s, 1 door o/s  | Y |   |   |
| B0611      | ◆ | Saddle bins, 2 doors n/s, 2 doors o/s   | Y |   |   |
| B0612      | ◆ | Saddle bins, 3 door n/s, 2 doors o/s  | Y |   |   |
| B0613      | ◆ | Through bins, 2 doors n/s, 2 doors o/s (avail only with chassis space frame)              | Y | Y | Y |
| B0614      | ◆ | Through bins, 3 doors n/s, 3 doors o/s (avail only with chassis space frame)              | Y | Y | Y |

|              |   |  |   |   |   |          |
|--------------|---|--|---|---|---|----------|
| <b>B0615</b> | ◆ | Lockable bin flaps to luggage bin flaps only   | Y | Y | Y |          |
| <b>B0616</b> | ◆ | Centrally lockable bin and accessory doors, no door opening flaps fitted             |   |   | Y |          |
| additional   | ◆ |  |   |   |   |          |
| <b>B07</b>   | □ | <b>WHEEL ARCHES AND FLARES</b>   |   |   |   |          |
| <b>B0701</b> | ◆ | Rubber wheel arch flares   | Y | Y |   |          |
| <b>B0702</b> | ◆ | Valere style wheel arch flares   |   |   | Y |          |
| <b>B0703</b> | ◆ | Heavy duty natural rubber mud flaps to front and rear                                | Y | Y | Y | <b>1</b> |
| <b>B0704</b> | ◆ | Additional mud flaps between rear axles (three axle chassis only)                    |   | Y | Y |          |
| <b>B0705</b> | ◆ | Fixed wheel arch panels  | Y | Y | Y |          |
| <b>B0706</b> | ◆ | Lift up wheel arch panels, with claw catches and barrell bolts                       | Y | Y | Y |          |
| additional   | ◆ |  |   |   |   |          |
| <b>B08</b>   | □ | <b>ENGINE DOORS</b>  |   |   |   |          |
| <b>B0801</b> | ◆ | Large rear engine door, fitted with claw catches and grab handles                    | Y | Y |   |          |
| <b>B0802</b> | ◆ | Large Valere rear engine door, fitted with claw catches and grab handles             |   |   | Y |          |
| <b>B0803</b> | ◆ | Two side engine doors, fitted with claw catches                                      | Y | Y | Y | <b>1</b> |
| <b>B0804</b> | ◆ | Lockable flap to rear engine door  |   |   | Y |          |
| additional   | ◆ |  |   |   |   |          |
| <b>B09</b>   | □ | <b>WIPERS AND SCREENS</b>  |   |   |   |          |
| <b>B0901</b> | ◆ | Heavy duty windscreen wipers   | Y | Y | Y | <b>1</b> |
| <b>B0902</b> | ◆ | Driver's heater demister, ducted to windscreens, door driver's window and feet       | Y | Y | Y | <b>1</b> |
| additional   | ◆ |  |   |   |   |          |
| <b>B0903</b> | ◆ | Orbit styled two (2) piece flat windscreens  | Y |   |   |          |
| <b>B0904</b> | ◆ | Majestic style two (2) piece flat windscreens  |   | Y |   |          |
| <b>B0905</b> | ◆ | Majestic style two (2) piece curved windscreens                                      |   | Y |   |          |
| <b>B0906</b> | ◆ | Valere style two (2) piece flat windscreens  |   |   | Y |          |
| <b>B0907</b> | ◆ | Valere style two (2) piece curved windscreens  |   |   | Y |          |
| additional   | ◆ |  |   |   |   |          |
| <b>B0908</b> | ◆ | Electronic destination unit, suit Orbit  | Y |   |   |          |
| <b>B0909</b> | ◆ | Electronic destination unit, suit coach  |   | Y | Y |          |
| <b>B0910</b> | ◆ | Manual destination unit, suit Orbit  | Y |   |   |          |
| <b>B0911</b> | ◆ | Manual destination unit, suit Coach  |   | Y | Y |          |
| <b>B0914</b> | ◆ | Names for manual destination roll ( <i>standard 10 names, additional names POA</i> ) |   | Y | Y |          |
|              | ◆ | Name 1:  |   | Y | Y |          |
|              | ◆ | Name 2:  |   | Y | Y |          |
|              | ◆ | Name 3:  |   | Y | Y |          |
|              | ◆ | Name 4:  |   | Y | Y |          |
|              | ◆ | Name 5:  |   | Y | Y |          |
|              | ◆ | Name 6:  |   | Y | Y |          |
|              | ◆ | Name 7:  |   | Y | Y |          |
|              | ◆ | Name 8:  |   | Y | Y |          |
|              | ◆ | Name 9:  |   | Y | Y |          |
|              | ◆ | Name 10:   |   | Y | Y |          |
| additional   | ◆ |  |   |   |   |          |
| <b>B10</b>   | □ | <b>EXHAUST AND AIR INTAKE</b>  |   |   |   |          |
| <b>B1001</b> | ◆ | Exhaust outlet directed under rear bumper  | Y | Y | Y |          |
| <b>B1002</b> | ◆ | Exhaust outlet directed through rear bumper  | Y | Y | Y |          |
| <b>B1003</b> | ◆ | Vertical exhaust provision, including internal rear duct                             | Y |   |   |          |
| <b>B1004</b> | ◆ | Vertical exhaust   | Y | Y | Y |          |
| additional   | ◆ |  |   |   |   |          |
| <b>B1005</b> | ◆ | Air intake to waist panel  | Y | Y | Y |          |
| <b>B1006</b> | ◆ | Air intake to cant panel   |   | Y | Y |          |
| <b>B1007</b> | ◆ | Air intake to roof   | Y |   |   |          |

|              |   |   |   |   |   |          |
|--------------|---|---|---|---|---|----------|
| additional   | ◆ |   |   |   |   |          |
| <b>B11</b>   | □ | <b>BUMPERS AND BARS</b>   |   |   |   |          |
| <i>B1101</i> | ◆ | Orbit styled front fibreglass bumper  | Y |   |   |          |
| <b>B1102</b> | ◆ | Majestic styled front fibreglass bumper                                     |   | Y |   |          |
| <b>B1103</b> | ◆ | Valere styled front fibreglass bumper                                       |   |   | Y |          |
| <b>B1104</b> | ◆ | Orbit styled aluminium front bumper with tubular bull bar                   | Y |   |   |          |
| <b>B1105</b> | ◆ | Majestic styled aluminium front bumper with tubular bull bar                |   | Y |   |          |
| <b>B1106</b> | ◆ | Valere styled aluminium front bumper with tubular bull bar                  |   |   | Y |          |
| <b>B1107</b> | ◆ | Majestic styled front aluminium bumper with truck bull bar                  |   | Y |   |          |
| <b>B1108</b> | ◆ | Valere styled front aluminium bumper with truck bull bar                    |   |   | Y |          |
| additional   | ◆ |   |   |   |   |          |
| <b>B1109</b> | ◆ | Orbit styled rear one piece fibreglass bumper                               | Y |   |   |          |
| <b>B1110</b> | ◆ | Majestic styled rear one piece fibreglass bumper                            |   | Y |   |          |
| <b>B1111</b> | ◆ | Valere styled rear three piece fibreglass bumper                            |   |   | Y |          |
| additional   | ◆ |   |   |   |   |          |
| <b>C08</b>   | □ | <b>TOWING CAPABILITY</b>  |   |   |   |          |
| <b>C0801</b> | ◆ | 40mm Ringfeder  |   | Y | Y |          |
| <b>C0802</b> | ◆ | 50mm Ringfeder  |   | Y | Y |          |
| <b>C0803</b> | ◆ | 95mm Bartlett Ball  |   | Y | Y |          |
| <b>C0804</b> | ◆ | 127mm Bartlett Ball   |   | Y | Y |          |
| additional   | ◆ |   |   |   |   |          |
| <b>B12</b>   | □ | <b>FRONT, REAR AND ROOF</b>   |   |   |   |          |
| <i>B1201</i> | ◆ | One piece fibreglass roof, incorporating gutter                             | Y | Y | Y |          |
| <b>B1202</b> | ◆ | Orbit styled fibreglass front and rear headers                              | Y |   |   |          |
| <b>B1203</b> | ◆ | Majestic styled fibreglass front and rear headers                           |   | Y |   |          |
| <b>B1204</b> | ◆ | Valere styled fibreglass front and rear headers                             |   |   | Y |          |
| additional   | ◆ |   |   |   |   |          |
| <b>B13</b>   | □ | <b>SALOON GLAZING</b>   |   |   |   |          |
| <b>B1301</b> | ◆ | Emergency exits as required to meet ADR 44/02                               | Y | Y | Y | <b>1</b> |
| <b>B1302</b> | ◆ | Saloon glass grey tint top hopper, suit 11.85m body                         | Y |   |   |          |
| <b>B1303</b> | ◆ | Saloon glass grey tint top hopper, suit 12.32m body                         | Y |   |   |          |
| <b>B1304</b> | ◆ | Saloon glass grey double tint top hopper, suit 12.50m body                  | Y |   |   |          |
| <b>B1305</b> | ◆ | Saloon glass grey tint top hopper, suit 13.50m body                         | Y |   |   |          |
| <b>B1306</b> | ◆ | Saloon glass grey tint top hopper x4, balance fixed glass, suit 11.85m body | Y |   |   |          |
| <b>B1307</b> | ◆ | Saloon glass grey tint top hopper x4, balance fixed glass, suit 12.32m body | Y |   |   |          |
| <b>B1308</b> | ◆ | Saloon glass grey tint top hopper x4, balance fixed glass, suit 12.5m body  | Y |   |   |          |
| <b>B1309</b> | ◆ | Saloon glass grey tint top hopper x4, balance fixed glass, suit 13.50m body | Y |   |   |          |
| <b>B1310</b> | ◆ | Saloon glass grey top slider, suit 11.85m body                              | Y |   |   |          |
| <b>B1311</b> | ◆ | Saloon glass grey tint top slider, suit 12.32m body                         | Y |   |   |          |
| <b>B1312</b> | ◆ | Saloon glass grey tint top slider suit 12.50m body                          | Y |   |   |          |
| <b>B1313</b> | ◆ | Saloon glass grey tint top slider suit 13.50m body                          | Y |   |   |          |
| <b>B1314</b> | ◆ | Saloon glass grey tint fixed, suit 11.85 - 12.50m body lengths              | Y | Y | Y |          |
| <b>B1315</b> | ◆ | Saloon glass double grey tint fixed, suit 11.85 - 12.50m body lengths       | Y | Y | Y |          |
| <b>B1316</b> | ◆ | Saloon glass grey tint fixed, suit 13.50m body                              | Y | Y | Y |          |
| <b>B1317</b> | ◆ | Saloon glass grey double tint fixed, suit 13.50m body                       | Y | Y | Y |          |
| <b>B1318</b> | ◆ | Saloon glass grey tint fixed, suit 14.32, 14.50m body lengths               | Y | Y | Y |          |
| <b>B1319</b> | ◆ | Saloon glass grey double tint fixed, suit 14.32, 14.50m body lengths        | Y | Y | Y |          |
| additional   | ◆ |   |   |   |   |          |
| <b>B1320</b> | ◆ | Orbit style two emergency exit roof hatches                                 | Y |   |   |          |
| <b>B1321</b> | ◆ | Majestic style two emergency exit roof hatches                              |   | Y |   |          |
| <b>B1322</b> | ◆ | Valere style two emergency exit roof hatches                                |   |   | Y |          |
| additional   | ◆ |   |   |   |   |          |
| <b>B14</b>   | □ | <b>DRIVER'S WINDOW</b>  |   |   |   |          |

|            |   |  |   |   |   |   |
|------------|---|--|---|---|---|---|
| B1401      | ◆ | Fixed glass driver's window with vertical slider, suit Orbit   | Y |   |   |   |
| B1402      | ◆ | Fixed glass driver's window with vertical slider, suit Majestic  |   | Y |   |   |
| B1403      | ◆ | Fixed glass driver's window with vertical slider, suit Valere  |   |   | Y |   |
| B1404      | ◆ | Fixed glass driver's window with porthole, suit Orbit  | Y |   |   |   |
| B1405      | ◆ | Fixed glass driver's window with porthole, suit Majestic   |   | Y |   |   |
| B1406      | ◆ | Fixed glass driver's window with porthole, suit Valere   |   |   | Y |   |
| B1407      | ◆ | Sliding driver's window, suit Orbit  | Y |   |   |   |
| B1408      | ◆ | Sliding driver's window, suit Majestic   |   | Y |   |   |
| B1409      | ◆ | Sliding driver's window, suit Valere   |   |   | Y |   |
| additional | ◆ |  |   |   |   |   |
| <b>B15</b> | □ | <b>SALOON DOOR and DASH</b>  |   |   |   |   |
| B1501      | ◆ | Inswing pivot saloon door with lock and bus style dash , utilising chassis supplied instrument binnacle                | Y | Y |   |   |
| B1502      | ◆ | Inswing pivot saloon door with lock and bus style dash, with instruments re-located to panel(s) within dash binnacle   | Y | Y |   |   |
| B1503      | ◆ | Majestic front hinged saloon door, Orbit dash, with instruments re-located to panel(s) within dash binnacle            |   | Y |   |   |
| B1504      | ◆ | Inswing pivot saloon door with lock and coach style dash, with instruments re-located to panel(s) within dash binnacle |   | Y |   |   |
| B1505      | ◆ | Valere front hinged saloon door and dash   |   |   | Y |   |
| B1506      | ◆ | RTA 146 Inswing door safety system   |   |   |   |   |
| B1507      | ◆ | RTA 146 front hinged door safety system  |   |   |   |   |
| additional | ◆ |  |   |   |   |   |
| B1508      | ◆ | Woodgrain dash panels  | Y | Y | Y |   |
| B1509      | ◆ | Vinyl trimmed dash panels  | Y | Y | Y |   |
| <b>B16</b> | □ | <b>MID SALOON ENTRY DOORS</b>  |   |   |   |   |
| B1601      | ◆ | Saloon mid entry door, front hinged swing out fitted to nearside of body   |   |   | Y |   |
| B1602      | ◆ | Disability access, incorporating nearside saloon access, and lamp to lower door  |   | Y | Y |   |
| additional | ◆ |  |   |   |   |   |
| <b>B17</b> | □ | <b>PARCEL RACKS and LOCKERS</b>  |   |   |   |   |
| B1701      | ◆ | Bus / charter style parcel racks, suit body length up to and including 12.5m   | Y | Y |   | 1 |
| B1702      | ◆ | Bus / charter style parcel racks, suit body lengths greater than 12.5m   | Y | Y |   |   |
| B1703      | ◆ | Aluminium capping fitted to bus / charter style parcel rack edges  | Y | Y |   |   |
| B1704      | ◆ | Valere style parcel racks, suit body length up to and including 12.5m  |   |   | Y |   |
| B1705      | ◆ | Valere style parcel racks, suit body lengths greater than 12.5m  |   |   | Y |   |
| additional | ◆ |  |   |   |   |   |
| B1706      | ◆ | Seat Numbers 1ABCD to rack edge  | Y | Y | Y |   |
| B1707      | ◆ | Seat numbers 1-53 to rack edge   | Y | Y | Y |   |
| B1708      | ◆ | Seat numbers 1-57 to rack edge   | Y | Y | Y |   |
| B1709      | ◆ | "No Smoking These Seats" decal to rack edge  | Y | Y | Y |   |
| additional | ◆ |  |   |   |   |   |
| B1710      | ◆ | Orbit style driver's locker to nearside parcel rack, with compartment lock   | Y |   |   |   |
| B1711      | ◆ | Orbit style driver's locker to offside parcel rack, with compartment lock  | Y |   |   |   |
| B1712      | ◆ | Coach style driver's locker to nearside parcel rack, with compartment lock   |   | Y | Y |   |
| B1713      | ◆ | Coach style driver's locker to offside parcel rack, with compartment lock  |   | Y | Y |   |
| B1714      | ◆ | Driver's wardrobe (Available ONLY when saloon toilet selected)   |   | Y | Y |   |
| additional | ◆ |  |   |   |   |   |
| <b>B18</b> | □ | <b>AIR CONDITIONING, DUCTS and HEATING</b>   |   |   |   |   |
| B1801      | ◆ | Orbit airconditioning ducts, suit body length up to and including 12.5m  | Y |   |   |   |
| B1802      | ◆ | Orbit airconditioning ducts, suit body lengths greater than 12.5m  | Y |   |   |   |
| B1803      | ◆ | Coach airconditioning ducts, suit body length up to and including 12.5m  |   | Y | Y |   |
| B1804      | ◆ | Coach airconditioning ducts, suit body lengths greater than 12.5m  |   | Y | Y |   |
| additional | ◆ |  |   |   |   |   |

|              |   |   |   |   |   |          |
|--------------|---|---|---|---|---|----------|
| <b>B1805</b> | ♦ | Air conditioner <i>{insert model}</i>   | Y | Y | Y |          |
|              | ♦ |   | Y | Y | Y |          |
| <b>B1806</b> | ♦ | Cowl fitted over air conditioning unit  |   | Y | Y |          |
| <b>B1807</b> | ♦ | Fixed vents   | Y | Y |   |          |
| <b>B1808</b> | ♦ | Adjustable flipper vents  | Y | Y |   |          |
| <b>B1809</b> | ♦ | Light vent speaker modules, Prima light grey  |   | Y | Y |          |
| <b>B1810</b> | ♦ | Light vent speaker modules, Prima dark grey   |   | Y | Y |          |
| <b>B1811</b> | ♦ | Light vent speaker modules, Transtech black   |   | Y | Y |          |
| additional   | ♦ |   |   |   |   |          |
| <b>B1812</b> | ♦ | Floor heaters x2 (fitted)   | Y | Y |   |          |
| <b>B1813</b> | ♦ | Floor heaters x2 (supplied loose)   | Y |   |   |          |
| <b>B1814</b> | ♦ | Ducted heaters  |   | Y | Y |          |
| <b>B1815</b> | ♦ | Ducted heaters to suit mid entry door or wheel chair access door  |   | Y | Y |          |
| additional   | ♦ |   |   |   |   |          |
| <b>B19</b>   | □ | <b>DRIVER'S SEAT AND ACCESSORIES</b>  |   |   |   |          |
| <b>B1901</b> | ♦ | Isri 1000/515 static driver's seat, trimmed as supplied by Isri   | Y | Y | Y |          |
| <b>B1902</b> | ♦ | Isri 1000/515 static driver's seat, trimmed to match saloon seats   | Y | Y | Y |          |
| <b>B1903</b> | ♦ | Isri 6000/517 mechanical suspension driver's seat, trimmed as supplied by Isri                                    | Y | Y | Y |          |
| <b>B1904</b> | ♦ | Isri 6000/517 mechanical suspension driver's seat, trimmed to match saloon seats                                  | Y | Y | Y |          |
| <b>B1905</b> | ♦ | Isri 6500/517 pneumatic suspension driver's seat, trimmed as supplied by Isri                                     |   | Y | Y |          |
| <b>B1906</b> | ♦ | Isri 6500/517 pneumatic suspension driver's seat, trimmed to match saloon seats                                   |   | Y | Y |          |
| <b>B1907</b> | ♦ | Isri 6800/337 pneumatic suspension driver's seat, incorporating lap sash seat belt, trimmed as supplied by Isri   |   | Y | Y |          |
| <b>B1908</b> | ♦ | Isri 6800/337 pneumatic suspension driver's seat, incorporating lap sash seat belt, trimmed to match saloon seats |   | Y | Y |          |
| additional   | ♦ |   |   |   |   |          |
| <b>B1909</b> | ♦ | Driver's seat headrest ISRI   | Y | Y | Y |          |
| <b>B1910</b> | ♦ | Driver's seat armrests ISRI   | Y | Y | Y |          |
| additional   | ♦ |   |   |   |   |          |
| <b>B20</b>   | □ | <b>BLINDS, MIRRORS AND DRIVER'S SURROUND</b>  |   |   |   |          |
| <b>B2001</b> | ♦ | Manually operated roller blind to driver's window, suit Orbit and Majestic  | Y | Y |   |          |
| <b>B2002</b> | ♦ | Manually operated roller blind to driver's window, suit Valere  |   |   | Y |          |
| <b>B2003</b> | ♦ | Manually operated roller blinds to windscreens  | Y | Y | Y |          |
| <b>B2004</b> | ♦ | Electric roller blinds to windscreens   | Y | Y | Y |          |
| additional   | ♦ |   |   |   |   |          |
| <b>B2005</b> | ♦ | Interior convex mirror  | Y | Y | Y | <b>1</b> |
| <b>B2006</b> | ♦ | Orbit styled exterior mirrors incorp spotters   | Y | Y |   |          |
| <b>B2007</b> | ♦ | Cannon heated exterior mirror heads on Cannon bases, including spotters   |   | Y | Y |          |
| <b>B2008</b> | ♦ | Metagal remote control heated exterior mirrors, on Cannon bases   |   | Y | Y |          |
| additional   | ♦ |   |   |   |   |          |
| <b>B2009</b> | ♦ | Driver's map pocket   | Y | Y | Y |          |
| <b>B2010</b> | ♦ | Fire extinguisher fitted to driver's area to meet Australian Standards  | Y | Y | Y | <b>1</b> |
| <b>B2011</b> | ♦ | First Aid Kit fitted to locker above saloon door  |   |   | Y |          |
| <b>B2012</b> | ♦ | First Aid Kit fitted to rack  | Y | Y | Y |          |
| <b>B2013</b> | ♦ | "No Smoking, Fasten Seat Belt" Decal fitted to above driver's window  | Y | Y | Y |          |
| <b>B2014</b> | ♦ | Driver's authority card holder fitted to above driver's window  | Y | Y | Y |          |
| <b>B2015</b> | ♦ | Driver's cup holder   |   | Y | Y |          |
| <b>B2016</b> | ♦ | Driver's manifest holder  |   | Y | Y |          |
| additional   | ♦ |   |   |   |   |          |
| <b>B21</b>   | □ | <b>SALOON SEATING</b>   |   |   |   |          |
| <b>B2101</b> | ♦ | NO Saloon seating   | Y |   |   |          |

|            |                          |   |   |   |   |   |
|------------|--------------------------|---|---|---|---|---|
|            | <input type="checkbox"/> | <i>Note: compliance plate is NOT supplied until written confirmation is received by MTA that saloon seating has been installed according to relevant ADR's and drawings</i> | Y |   |   |   |
| B2102      | ◆                        | Cantilever seat mounting provision  | Y |   |   |   |
| B2103      | ◆                        | Saloon seating, including modesty panels  |   | Y | Y |   |
|            | ◆                        | <b>INSERT SEATING CONFIGURATION, SEAT MODEL &amp; ACCESSORIES REQ'D</b>   |   |   |   |   |
|            | ◆                        |   |   |   |   |   |
| <b>B22</b> | <input type="checkbox"/> | <b>TOILET and BUNK</b>  |   |   |   |   |
| B2201      | ◆                        | No toilet   | Y | Y |   |   |
| B2202      | ◆                        | Recycling toilet, located to offside rear of saloon.  |   | Y | Y |   |
| B2203      | ◆                        | Plastic, fresh flush toilet, located to offside rear of saloon.   |   | Y | Y |   |
| B2204      | ◆                        | Ceramic fresh flush toilet, located to offside rear of saloon.  |   | Y | Y |   |
| B2205      | ◆                        | Luxury finish toilet cubicle and contoured vanity   |   |   | Y |   |
| B2206      | ◆                        | Standard finish toilet cubicle and contoured vanity   |   |   | Y |   |
| B2207      | ◆                        | Removable toilet cubicle, recycling toilet unit, standard finish cubicle and vanity located to offside rear of saloon. Drinking water provided inside toilet cubicle.       |   | Y | Y |   |
| additional | ◆                        |   |   |   |   |   |
| B2215      | ◆                        | Saloon drink galley and refuse bin located on exterior forward wall of toilet   |   | Y | Y |   |
| B2209      | ◆                        | Refrigerated drinking water   |   | Y | Y |   |
| B2210      | ◆                        | Illuminated "Toilet Occupied" sign to toilet wall   |   | Y | Y |   |
| B2211      | ◆                        | Illuminated "Toilet Occupied" sign to front interior header   |   | Y | Y |   |
| B2212      | ◆                        | Gemini electric hand dryer fitted to interior of toilet cubicle   |   | Y | Y |   |
| B2213      | ◆                        | Mills-Tui engine heated hand dryer fitted to interior of toilet cubicle   |   | Y | Y |   |
| B2214      | ◆                        | Driver's bunk, including driver's protection barrier  |   | Y | Y |   |
| additional | ◆                        |   |   |   |   |   |
| <b>B23</b> | <input type="checkbox"/> | <b>INTERIOR ELECTRICS AND LAMPS</b>   |   |   |   |   |
| B2301      | ◆                        | Ticket light and step light (s) as required   | Y | Y | Y | 1 |
| B2302      | ◆                        | Orbit style saloon lighting to centre ceiling   | Y |   |   |   |
| B2303      | ◆                        | Majestic style saloon lighting to centre ceiling  |   | Y |   |   |
| B2304      | ◆                        | Valere style saloon lighting to rack brackets   |   |   | Y |   |
| B2305      | ◆                        | Aisle lamps   |   | Y | Y |   |
| B2306      | ◆                        | Cleaning lamps  |   | Y | Y |   |
| B2307      | ◆                        | Driver's fan  | Y | Y | Y |   |
| B2308      | ◆                        | Digital clock   | Y | Y | Y |   |
| B2309      | ◆                        | Execulog fitted to "A" pillar   |   | Y | Y |   |
| B2310      | ◆                        | Illuminated "No Smoking" lamp fitted to interior front header   |   | Y | Y |   |
| B2311      | ◆                        | Schedule F - Provide and Fit  | Y | Y |   |   |
| B2312      | ◆                        | Schedule F - Provision Only   | Y | Y |   |   |
| B2313      | ◆                        | Schedule F - Provide and Fit No Seats   | Y | Y |   |   |
| additional | ◆                        |   |   |   |   |   |
| <b>B24</b> | <input type="checkbox"/> | <b>EXTERIOR LIGHTS, LAMPS and ELECTRICS</b>   |   |   |   |   |
| B2401      | ◆                        | Exterior lighting to mandatory ADR requirements - incandescent globe lamps, to suit body lengths up to and including 12.5m  | Y | Y |   |   |
| B2402      | ◆                        | Exterior lighting to mandatory ADR requirements - incandescent globe lamps, to suit body lengths greater than 12.5m   | Y | Y |   |   |
| B2403      | ◆                        | Exterior lighting to mandatory ADR requirements - LED lamps where possible, to suit body lengths up to and including 12.5m  | Y | Y | Y |   |
| B2404      | ◆                        | Exterior lighting to mandatory ADR requirements - LED lamps where possible, to suit body lengths greater than 12.5m   | Y | Y | Y |   |
| additional | ◆                        |   |   |   |   |   |
| B2405      | ◆                        | Four (4) headlights, with high impact plastic headlight protectors  | Y | Y |   |   |
| B2406      | ◆                        | Valere styled headlights, with high impact plastic headlight protectors   |   |   | Y |   |

|            |   |   |   |   |   |  |
|------------|---|---|---|---|---|--|
| B2407      | ◆ | Additional front header clearance lamps, amber incandescent globe lamps   | Y | Y | Y |  |
| B2408      | ◆ | Additional front header clearance lamps, white LED lamps  | Y | Y | Y |  |
| B2409      | ◆ | Additional rear header lamps to suit Majestic Styling, incandescent globe lamps   |   | Y |   |  |
| B2410      | ◆ | Additional rear header lamps to suit Majestic Styling, LED lamps  |   | Y |   |  |
| B2411      | ◆ | Additional rear header lamps to suit Valere styling, LED lamps  |   |   | Y |  |
| B2412      | ◆ | Indicator and side marker over rear w/arches & side marker over front w/arch - incandescent globe lamps                               | Y | Y |   |  |
| B2413      | ◆ | Indicator and side marker over rear w/arches & side marker over front w/arch - LED lamps  | Y | Y | Y |  |
| B2414      | ◆ | Hella 1104 fog lamps, supplied with clear covers  |   | Y | Y |  |
| B2415      | ◆ | Hella 1362 driving lamps, supplied with clear covers  |   | Y | Y |  |
| B2416      | ◆ | Hella 450 driving lamps, supplied with clear covers   |   | Y | Y |  |
| additional | ◆ |   |   |   |   |  |
| B2417      | ◆ | School Signs and Lamps - NSW  | Y | Y |   |  |
| B2418      | ◆ | School Signs and Lamps - QLD  | Y | Y |   |  |
| B2419      | ◆ | School Signs and Lamps - VIC  | Y | Y |   |  |
| B2420      | ◆ | Lamps (x2) to engine bay  | Y |   |   |  |
| B2421      | ◆ | Lamps (x3) to engine bay  |   | Y | Y |  |
| B2422      | ◆ | Lamp(s) to bin area adjacent to each bin door   | Y | Y | Y |  |
| B2423      | ◆ | Dash switched bin lights  | Y | Y |   |  |
| B2424      | ◆ | Micro switched bin lights, no warning light on dash   | Y | Y |   |  |
| B2425      | ◆ | Dash switched engine lights   | Y | Y |   |  |
| B2426      | ◆ | Micro switched engine lights, no warning light on dash  | Y | Y |   |  |
| B2427      | ◆ | Micro switched bin, engine and accessory door lights, with warning lamp fitted to dash to indicate open bin, engine or accessory door |   |   | Y |  |
| additional | ◆ |   |   |   |   |  |
| B2428      | ◆ | Connect engine isolation switch   | Y | Y | Y |  |
| B2429      | ◆ | Supply, fit and connect engine isolation switch   | Y | Y | Y |  |
| B25        | □ | <b>AUDIO VISUAL</b>   |   |   |   |  |
| B2501      | ◆ | Mobile phone provision (power supply 12V 3A)  | Y | Y | Y |  |
| B2502      | ◆ | Dual cigarette lighter plug plus head phone socket, with "Headphone / Phone / Nebuliser" decal  | Y | Y | Y |  |
| B2503      | ◆ | Clarion AB210 radio / cassette without PA   | Y | Y |   |  |
| B2504      | ◆ | Clarion AB210 radio / cassette with PA  | Y | Y |   |  |
| B2505      | ◆ | Clarion radio / CD without PA   | Y | Y |   |  |
| B2506      | ◆ | Clarion radio / CD with PA  | Y | Y |   |  |
| B2507      | ◆ | Clarion AE500 radio / cassette with PA  |   | Y | Y |  |
| B2508      | ◆ | Clarion AE3000 radio with PA  | Y | Y | Y |  |
| additional | ◆ |   |   |   |   |  |
| B2509      | ◆ | Clarion DVD player  | Y | Y | Y |  |
| B2510      | ◆ | Roving microphone with 10m lead   |   | Y | Y |  |
| B2511      | ◆ | Additional roving microphone plug socket, fitted to mid saloon duct on offside  |   | Y | Y |  |
| B2512      | ◆ | AM CB radio   | Y | Y | Y |  |
| B2513      | ◆ | FM CB radio   | Y | Y | Y |  |
| B2514      | ◆ | UHF CB radio  | Y | Y | Y |  |
| additional | ◆ |   |   |   |   |  |
| B2515      | ◆ | Extension speaker to suit CB radio, mounted to "B" pillar   | Y | Y | Y |  |
| B2516      | ◆ | Single CD player  | Y | Y | Y |  |
| B2517      | ◆ | Six (6) stack CD player, located in offside luggage rack  |   | Y | Y |  |
| B2518      | ◆ | 48cm television, video playback unit, suit Orbit body   | Y |   |   |  |
| B2519      | ◆ | 48cm television, video playback unit, suit coach body   |   | Y | Y |  |
| B2520      | ◆ | Local television reception ( <i>reception subject to locality</i> )   | Y | Y | Y |  |
| B2521      | ◆ | 14" television, mounted to centre saloon ceiling in drop down cradle  |   | Y | Y |  |

|            |   |   |   |   |   |  |
|------------|---|---|---|---|---|--|
| B2522      | ◆ | 14" television, mounted mid rack on nearside  |   | Y | Y |  |
| B2523      | ◆ | 14" television, mounted mid rack on offside   |   | Y | Y |  |
| additional | ◆ |   |   |   |   |  |
| B26        | □ | <b>INTERIOR BODY</b>  |   |   |   |  |
| B2601      | ◆ | Buzzer with cord - offside only   | Y |   |   |  |
| B2602      | ◆ | Buzzer with cord - both sides   | Y |   |   |  |
| B2603      | ◆ | Stainless steel ceiling mounted handrail - offside only                                 | Y |   |   |  |
| B2604      | ◆ | Stainless steel ceiling mounted handrail - both sides                                   | Y |   |   |  |
| additional | ◆ |   |   |   |   |  |
| B27        | □ | <b>EXTERIOR BODY</b>  |   |   |   |  |
| B2701      | ◆ | Bus style windscreen protector - quick release, fold down                               | Y |   |   |  |
| B2702      | ◆ | Coach style windscreen protector - quick release, fold down                             |   | Y | Y |  |
| B2703      | ◆ | Front acrylic sign  |   | Y | Y |  |
| B2704      | ◆ | Additional fire extinguisher fitted to engine compartment                               | Y | Y | Y |  |
| B2705      | ◆ | Insulation fitted over rear suspension  | Y | Y | Y |  |
| B2706      | ◆ | Rear engine bay stone protection  | Y | Y | Y |  |
| B2707      | ◆ | Bin pressure  |   | Y | Y |  |
| B2708      | ◆ | Bin pressure with heavy duty air cleaner  |   | Y | Y |  |
| B2709      | ◆ | 22 litre water urn, fitted to bin bulkhead  |   | Y | Y |  |
| B2710      | ◆ | Ducted vacuum system fitted to bin bulkhead   |   | Y | Y |  |
| B2711      | ◆ | Hubodometer   | Y | Y | Y |  |
| additional | ◆ |   |   |   |   |  |
| additional | ◆ |   |   |   |   |  |
| B28        | □ | <b>PAINT</b>  |   |   |   |  |
| B2801      | ◆ | Internal tube corrosion protection, to lower frame                                      |   | Y | Y |  |
| B2802      | ◆ | Paint, white only with black accents body length 11.85m to 12.5m <b>Orbit</b>           | Y |   |   |  |
| B2803      | ◆ | Paint, white only with black accents, body length 11.85m to 12.5m <b>Majestic</b>       |   | Y | Y |  |
| B2804      | ◆ | Paint, white only with black accents, body length 13.5m to 14.5m <b>Majestic</b>        | Y |   |   |  |
| B2805      | ◆ | Paint, white only with black accents, body length 12.5m <b>Valere</b>                   | Y | Y | Y |  |
| B2806      | ◆ | Paint, white only with black accents, body length 13.5m <b>Valere</b>                   |   | Y | Y |  |
| B2807      | ◆ | Paint, white only with black accents, body length 14.5m <b>Valere</b>                   |   | Y | Y |  |
| B2808      | ◆ | Additional paint colour(s), livery...   | Y |   |   |  |
| B2809      | ◆ | Paint wheels  | Y | Y | Y |  |
| B2810      | ◆ | Signwriting   | Y | Y | Y |  |
| B2811      | ◆ | Legal decals  | Y | Y | Y |  |
|            | ◆ | <i>Use this line to insert legal information</i>  |   |   |   |  |
|            | ◆ | <i>Use this line to insert legal information</i>  |   |   |   |  |
|            | ◆ | <i>Use this line to insert legal information</i>  |   |   |   |  |
|            | ◆ | <i>Use this line to insert legal information</i>  |   |   |   |  |
|            | ◆ | <i>Use this line to insert legal information</i>  |   |   |   |  |
| T01        | □ | <b>INTERIOR CEILING TRIM</b>  |   |   |   |  |
| T0101      | ◆ | Interior ceiling white or grey panelling to suit body lengths up to and including 12.5m | Y | Y |   |  |
| T0106      | ◆ | Interior ceiling white or grey panelling to suit body lengths greater than 12.5m        | Y | Y |   |  |
| T0104      | ◆ | Interior ceiling 70% wool moquette to suit body lengths up to and including 12.5m       | Y | Y | Y |  |
| T0109      | ◆ | Interior ceiling 70% wool moquette to suit body lengths greater than 12.5m              | Y | Y | Y |  |
| T0107      | ◆ | Interior ceiling 85% wool moquette to suit body lengths up to and including 12.5m       | Y | Y | Y |  |
| T0108      | ◆ | Interior ceiling 85% wool moquette to suit body lengths greater than 12.5m              | Y | Y | Y |  |
| T0105      | ◆ | Interior ceiling 100% wool moquette to suit body lengths up to and including 12.5m      | Y | Y | Y |  |
| T0110      | ◆ | Interior ceiling 100% wool moquette to suit body lengths greater than 12.5m             | Y | Y | Y |  |

|            |                          |   |   |   |   |  |
|------------|--------------------------|---|---|---|---|--|
| <b>T02</b> | <input type="checkbox"/> | <b>CANT PANEL TRIM (No airconditioning ducts)</b>   |   |   |   |  |
| T0209      | ◆                        | Cant panel trim vinyl to suit body lengths up to and including 12.5m                        | Y | Y |   |  |
| T0210      | ◆                        | Cant panel trim vinyl to suit body lengths greater than 12.5m                               | Y | Y |   |  |
| T0201      | ◆                        | Cant panel meltrim to suit body lengths up to and including 12.5m                           | Y | Y |   |  |
| T0205      | ◆                        | Cant panel meltrim to suit body lengths greater than 12.5m                                  | Y | Y |   |  |
| T0202      | ◆                        | Cant panel front runner to suit body lengths up to and including 12.5m                      | Y | Y |   |  |
| T0206      | ◆                        | Cant panel front runner to suit body lengths greater than 12.5m                             | Y | Y |   |  |
| T0203      | ◆                        | Cant panel 70% wool moquette to suit body lengths up to and including 12.5m                 | Y | Y | Y |  |
| T0207      | ◆                        | Cant panel 70% wool moquette to suit body lengths greater than 12.5m                        | Y | Y | Y |  |
| T0211      | ◆                        | Cant panel 85% wool moquette to suit body lengths up to and including 12.5m                 | Y | Y | Y |  |
| T0212      | ◆                        | Cant panel 85% wool moquette to suit body lengths greater than 12.5m                        | Y | Y | Y |  |
| T0204      | ◆                        | Cant panel 100% wool moquette to suit body lengths up to and including 12.5m                | Y | Y | Y |  |
| T0208      | ◆                        | Cant panel 100% wool moquette to suit body lengths greater than 12.5m                       | Y | Y | Y |  |
| <b>T03</b> | <input type="checkbox"/> | <b>SIDE WALL TRIM</b>   |   |   |   |  |
| T0302      | ◆                        | Side walls front runner to suit body lengths up to and including 12.5m                      | Y | Y |   |  |
| T0307      | ◆                        | Side walls front runner to suit body lengths greater than 12.5m                             | Y | Y |   |  |
| T0303      | ◆                        | Side walls 70% moquette to suit body lengths up to and including 12.5m                      | Y | Y | Y |  |
| T0308      | ◆                        | Side walls 70% moquette to suit body lengths greater than 12.5m                             | Y | Y | Y |  |
| T0313      | ◆                        | Side walls 85% moquette to suit body lengths up to and including 12.5m                      | Y | Y | Y |  |
| T0314      | ◆                        | Side walls 85% moquette to suit body lengths greater than 12.5m                             | Y | Y | Y |  |
| T0304      | ◆                        | Side walls 100% moquette to suit body lengths up to and including 12.5m                     | Y | Y | Y |  |
| T0309      | ◆                        | Side walls 100% moquette to suit body lengths greater than 12.5m                            | Y | Y | Y |  |
| T0305      | ◆                        | Side walls versiclad to suit body lengths up to and including 12.5m                         | Y | Y |   |  |
| T0310      | ◆                        | Side walls versiclad to suit body lengths greater than 12.5m                                | Y | Y |   |  |
| T0311      | ◆                        | Side walls laminated panel to suit body lengths up to and including 12.5m                   | Y | Y |   |  |
| T0312      | ◆                        | Side walls laminated panel to suit body lengths greater than 12.5m                          | Y | Y |   |  |
| <b>T04</b> | <input type="checkbox"/> | <b>WAIST RAIL TRIM</b>  |   |   |   |  |
| T0401      | ◆                        | Slate grey versiclad waist rail capping, suit body lengths up to and including 12.5m        | Y | Y |   |  |
| T0403      | ◆                        | Slate grey versiclad waist rail capping, suit body lengths greater than 12.5m               | Y | Y |   |  |
| T0404      | ◆                        | Black versiclad waist rail capping, suit body lengths up to and including 12.5m             | Y | Y |   |  |
| T0405      | ◆                        | Black versiclad waist rail capping, suit body lengths greater than 12.5m                    | Y | Y |   |  |
| T0402      | ◆                        | Waist rail capping trimmed in black vinyl, suit body lengths up to and including 12.5m      | Y | Y | Y |  |
| T0406      | ◆                        | Waist rail capping trimmed in black vinyl, suit body lengths greater than 12.5m             | Y | Y | Y |  |
| T0407      | ◆                        | Waist rail capping trimmed in slate grey vinyl, suit body lengths up to and including 12.5m | Y | Y | Y |  |
| T0408      | ◆                        | Waist rail capping trimmed in slate grey vinyl, suit body lengths greater than 12.5m        | Y | Y | Y |  |
| <b>T05</b> | <input type="checkbox"/> | <b>PILLAR TRIM</b>  |   |   |   |  |
| T0501      | ◆                        | Pillar faces trimmed in vinyl   | Y | Y | Y |  |
| T0507      | ◆                        | Pillar faces trimmed in meltrim   | Y | Y |   |  |
| T0504      | ◆                        | Pillar faces trimmed in front runner  | Y | Y |   |  |
| T0505      | ◆                        | Pillar faces trimmed in 70% wool moquette   | Y | Y | Y |  |
| T0508      | ◆                        | Pillar faces trimmed in 85% wool moquette   | Y | Y | Y |  |
| T0506      | ◆                        | Pillar faces trimmed in 100% wool moquette  | Y | Y | Y |  |
| T0502      | ◆                        | Slate grey versiclad pillar cappings, to suit body lengths up to and including 12.5m        | Y | Y |   |  |

|       |   |  |   |   |   |  |
|-------|---|--|---|---|---|--|
| T0509 | ◆ | Slate grey versiclad pillar cappings, to suit body lengths greater than 12.5m                      | Y | Y |   |  |
| T0503 | ◆ | Black versiclad pillar cappings, to suit body lengths up to and including 12.5m                    | Y | Y |   |  |
| T0510 | ◆ | Black versiclad pillar cappings, to suit body lengths greater than 12.5m                           | Y | Y |   |  |
| T06   | □ | <b>REAR HEADER TRIM</b>  |   |   |   |  |
| T0601 | ◆ | Rear header trimmed in meltrim   | Y | Y |   |  |
| T0602 | ◆ | Rear header trimmed in front runner  | Y | Y |   |  |
| T0603 | ◆ | Rear header trimmed in 70% wool moq.   | Y | Y | Y |  |
| T0605 | ◆ | Rear header trimmed in 85% wool moq.   | Y | Y | Y |  |
| T0604 | ◆ | Rear header trimmed in 100% wool moq.  | Y | Y | Y |  |
| T07   | □ | <b>INTERIOR FRONT HEADER TRIM</b>  |   |   |   |  |
| T0701 | ◆ | Front header trimmed in meltrim  | Y | Y |   |  |
| T0702 | ◆ | Front header trimmed in front runner   | Y | Y |   |  |
| T0703 | ◆ | Front header trimmed in 70% wool moquette  | Y | Y | Y |  |
| T0705 | ◆ | Front header trimmed in 85% wool moquette  | Y | Y | Y |  |
| T0704 | ◆ | Front header trimmed in 100% wool moquette   | Y | Y | Y |  |
| T0706 | ◆ | Front header trimmed in Solo   | Y | Y | Y |  |
| T08   | □ | <b>"A" to "B" PILLAR TRIM</b>  |   |   |   |  |
| T0801 | ◆ | "A" to "B" pillars trimmed in meltrim  | Y | Y |   |  |
| T0802 | ◆ | "A" to "B" pillars trimmed in front runner   | Y | Y |   |  |
| T0803 | ◆ | "A" to "B" pillars trimmed in 70% wool moquette  | Y | Y | Y |  |
| T0804 | ◆ | "A" to "B" pillars trimmed in 85% wool moquette  | Y | Y | Y |  |
| T0805 | ◆ | "A" to "B" pillars trimmed in 100% wool moquette   | Y | Y | Y |  |
| T0806 | ◆ | "A" to "B" pillars trimmed in Solo   | Y | Y | Y |  |
| T09   | □ | <b>DASH AND SIDE CONSOLE TRIM</b>  |   |   |   |  |
| T0901 | ◆ | Orbit dash and side console trim textured gelcoat finish   | Y |   |   |  |
| T0902 | ◆ | Orbit dash and side console trim padded vinyl  | Y |   |   |  |
| T0903 | ◆ | Majestic / Valere dash upper and side console trimmed with padded vinyl                            |   | Y | Y |  |
| T0904 | ◆ | Majestic / Valere dash lower trimmed with padded vinyl   |   | Y | Y |  |
| T0905 | ◆ | Majestic / Valere dash lower trimmed with 70% wool moquette  |   | Y | Y |  |
| T0906 | ◆ | Majestic / Valere dash lower trimmed with 85% wool moquette  |   | Y | Y |  |
| T0907 | ◆ | Majestic / Valere dash lower trimmed with 100% wool moquette                                       |   | Y | Y |  |
| T11   | □ | <b>FLOORING TRIM</b>   |   |   |   |  |
| T1101 | ◆ | Main saloon floor trimmed in Marley flooring vinyl, to suit body lengths up to and including 12.5m | Y | Y | Y |  |
| T1103 | ◆ | Main saloon floor trimmed in Marley flooring vinyl, to suit body lengths greater than 12.5m        | Y | Y | Y |  |
| T1102 | ◆ | Main saloon floor trimmed in flooring rubber, to suit body lengths up to and including 12.5m       | Y | Y | Y |  |
| T1104 | ◆ | Main saloon floor trimmed in flooring rubber, to suit body lengths greater than 12.5m              | Y | Y | Y |  |
| T1105 | ◆ | Main saloon floor trimmed in grey carpet, to suit body lengths up to and including 12.5m           | Y | Y | Y |  |
| T1106 | ◆ | Main saloon floor trimmed in grey carpet, to suit body lengths up to and including 12.5m           | Y | Y | Y |  |
| T1107 | ◆ | Floor entry trimmed in black dimple rubber   | Y | Y | Y |  |
| T1108 | ◆ | Step treads trimmed in black dimple rubber   | Y | Y | Y |  |
| T1109 | ◆ | Step sides trimmed in black dimple rubber  | Y | Y | Y |  |
| T1110 | ◆ | Carpet aisle runner to suit body lengths up to and including 12.5m                                 |   | Y | Y |  |
| T1111 | ◆ | Carpet aisle runner to suit body lengths greater than 12.5m  |   | Y | Y |  |
| T1112 | ◆ | Nomad matting to entry steps and platform  |   | Y | Y |  |
| T1113 | ◆ | All weather carpet to entry steps  |   | Y | Y |  |
| T1114 | ◆ | All weather carpet to entry platform   |   | Y | Y |  |

|            |                          |   |   |   |   |  |
|------------|--------------------------|---|---|---|---|--|
| <b>T15</b> | <input type="checkbox"/> | <b>SIDE DUCT TRIM</b>   |   |   |   |  |
| T1501      | ◆                        | Side ducts trimmed in meltrim, to suit body lengths up to and including 12.5m               | Y | Y |   |  |
| T1505      | ◆                        | Side ducts trimmed in meltrim, to suit body lengths greater than 12.5m                      | Y | Y |   |  |
| T1502      | ◆                        | Side ducts trimmed in front runner, to suit body lengths up to and including 12.5m          | Y | Y |   |  |
| T1506      | ◆                        | Side ducts trimmed in front runner, to suit body lengths greater than 12.5m                 | Y | Y |   |  |
| T1509      | ◆                        | Side ducts trimmed in vinyl, to suit body lengths up to and including 12.5m                 | Y | Y | Y |  |
| T1510      | ◆                        | Side ducts trimmed in vinyl, to suit body lengths greater than 12.5m                        | Y | Y | Y |  |
| T1503      | ◆                        | Side ducts trimmed in 70% wool moquette, to suit body lengths up to and including 12.5m     | Y | Y | Y |  |
| T1507      | ◆                        | Side ducts trimmed in 70% wool moquette, to suit body lengths greater than 12.5m            | Y | Y | Y |  |
| T1511      | ◆                        | Side ducts trimmed in 85% wool moquette, to suit body lengths up to and including 12.5m     | Y | Y | Y |  |
| T1512      | ◆                        | Side ducts trimmed in 85% wool moquette, to suit body lengths greater than 12.5m            | Y | Y | Y |  |
| T1504      | ◆                        | Side ducts trimmed in 100% wool moquette to suit body lengths up to and including 12.5m     | Y | Y | Y |  |
| T1508      | ◆                        | Side ducts trimmed in 100% wool moquette to suit body lengths greater than 12.5m            | Y | Y | Y |  |
| <b>T16</b> | <input type="checkbox"/> | <b>LOWER DUCT TRIM</b>  |   |   |   |  |
| T1601      | ◆                        | Lower ducts trimmed in vinyl, to suit body lengths up to and including 12.5m                | Y | Y | Y |  |
| T1606      | ◆                        | Lower ducts trimmed in vinyl, to suit body lengths greater than 12.5m                       | Y | Y | Y |  |
| T1602      | ◆                        | Lower ducts trimmed in meltrim, to suit body lengths up to and including 12.5m              | Y | Y |   |  |
| T1607      | ◆                        | Lower ducts trimmed in meltrim, to suit body lengths greater than 12.5m                     | Y | Y |   |  |
| T1603      | ◆                        | Lower ducts trimmed in front runner, to suit body lengths up to and including 12.5m         | Y | Y |   |  |
| T1608      | ◆                        | Lower ducts trimmed in front runner, to suit body lengths greater than 12.5m                | Y | Y |   |  |
| T1604      | ◆                        | Lower ducts trimmed in 70% wool moquette, to suit body lengths up to and including 12.5m    | Y | Y | Y |  |
| T1609      | ◆                        | Lower ducts trimmed in 70% wool moquette, to suit body lengths greater than 12.5m           | Y | Y | Y |  |
| T1611      | ◆                        | Lower ducts trimmed in 85% wool moquette, to suit body lengths up to and including 12.5m    | Y | Y | Y |  |
| T1612      | ◆                        | Lower ducts trimmed in 85% wool moquette, to suit body lengths greater than 12.5m           | Y | Y | Y |  |
| T1605      | ◆                        | Lower ducts trimmed in 100% wool moquette, to suit body lengths up to and including 12.5m   | Y | Y | Y |  |
| T1610      | ◆                        | Lower ducts trimmed in 100% wool moquette, to suit body lengths greater than 12.5m          | Y | Y | Y |  |
| <b>T17</b> | <input type="checkbox"/> | <b>EXTERIOR RACK TRIM</b>   |   |   |   |  |
| T1709      | ◆                        | Exterior racks trimmed in vinyl, to suit body lengths up to and including 12.5m             | Y | Y | Y |  |
| T1710      | ◆                        | Exterior racks trimmed in vinyl, to suit body lengths greater than 12.5m                    | Y | Y | Y |  |
| T1701      | ◆                        | Exterior racks trimmed in meltrim, to suit body lengths up to and including 12.5m           | Y | Y |   |  |
| T1705      | ◆                        | Exterior racks trimmed in meltrim, to suit body lengths greater than 12.5m                  | Y | Y |   |  |
| T1702      | ◆                        | Exterior racks trimmed in front runner, to suit body lengths up to and including 12.5m      | Y | Y |   |  |
| T1706      | ◆                        | Exterior racks trimmed in front runner, to suit body lengths greater than 12.5m             | Y | Y |   |  |
| T1703      | ◆                        | Exterior racks trimmed in 70% wool moquette, to suit body lengths up to and including 12.5m | Y | Y | Y |  |

|            |   |   |   |   |   |  |
|------------|---|---|---|---|---|--|
| T1707      | ◆ | Exterior racks trimmed in 70% wool moquette, to suit body lengths greater than 12.5m                      | Y | Y | Y |  |
| T1711      | ◆ | Exterior racks trimmed in 85% wool moquette, to suit body lengths up to and including 12.5m               | Y | Y | Y |  |
| T1712      | ◆ | Exterior racks trimmed in 85% wool moquette, to suit body lengths greater than 12.5m                      | Y | Y | Y |  |
| T1704      | ◆ | Exterior racks trimmed in 100% wool moquette, to suit body lengths up to and including 12.5m              | Y | Y | Y |  |
| T1708      | ◆ | Exterior racks trimmed in 100% wool moquette, to suit body lengths greater than 12.5m                     | Y | Y | Y |  |
| T18        | □ | <b>INTERIOR RACK TRIM</b>   |   |   |   |  |
| T1801      | ◆ | Interior racks trimmed in vinyl, to suit body lengths up to and including 12.5m                           | Y | Y | Y |  |
| T1802      | ◆ | Interior racks trimmed in vinyl, to suit body lengths greater than 12.5m                                  | Y | Y | Y |  |
| T19        | □ | <b>TOILET TRIM</b>  |   |   |   |  |
| T1901      | ◆ | Interior toilet cubicle, including interior face of toilet door trimmed in vinyl                          |   | Y | Y |  |
| T1902      | ◆ | Toilet walls exterior trimmed in 70% wool moquette  |   | Y | Y |  |
| T1903      | ◆ | Toilet walls exterior trimmed in 85% wool moquette  |   | Y | Y |  |
| T1904      | ◆ | Toilet wall exterior trimmed in 100% wool moquette  |   | Y | Y |  |
| T1905      | ◆ | Toilet door exterior trimmed in 70% wool moquette   |   | Y | Y |  |
| T1906      | ◆ | Toilet door exterior trimmed in 85% wool moquette   |   | Y | Y |  |
| T1907      | ◆ | Toilet door exterior trimmed in 100% wool moquette  |   | Y | Y |  |
| T1908      | ◆ | Toilet floor trimmed in Marley flooring vinyl   |   | Y | Y |  |
| T1909      | ◆ | Toilet floor trimmed in C1 flooring rubber  |   | Y | Y |  |
| T20        | □ | <b>SALOON CURTAINS</b>  |   |   |   |  |
| T2001      | ◆ | Drapilux fabric, permanent press pleated saloon curtains to suit body lengths up to and including 12.5m   |   | Y | Y |  |
| T2002      | ◆ | Drapilux fabric, permanent press pleated saloon curtains to suit body lengths greater than 12.5m          |   | Y | Y |  |
| T2003      | ◆ | Wool crepe fabric, permanent press pleated saloon curtains to suit body lengths up to and including 12.5m |   | Y | Y |  |
| T2004      | ◆ | Wool crepe fabric, permanent press pleated saloon curtains to suit body lengths greater than 12.5m        |   | Y | Y |  |
| T21        | □ | <b>BUNK TRIM</b>  |   |   |   |  |
| T2101      | ◆ | Bunk mattress trimmed with 70% wool moquette fabric   |   | Y | Y |  |
| T2102      | ◆ | Bunk mattress trimmed with 85% wool moquette fabric   |   | Y | Y |  |
| T2103      | ◆ | Bunk mattress trimmed with 100% wool moquette fabric  |   | Y | Y |  |
| T2104      | ◆ | Drapilux fabric saloon bunk restraint curtain   |   | Y | Y |  |
| T2105      | ◆ | Wool crepe fabric saloon bunk restraint curtain   |   | Y | Y |  |
| T22        | □ | <b>SALOON SEAT TRIM</b>   |   |   |   |  |
| T2201      | ◆ | Modesty panel trim  | Y | Y | Y |  |
| T2202      | ◆ | Seat front face trim  | Y | Y | Y |  |
| T2203      | ◆ | Seat rear face trim   | Y | Y | Y |  |
| T2204      | ◆ | Seat border trim  | Y | Y | Y |  |
| T23        | □ | <b>DRIVER'S SEAT TRIM</b>   |   |   |   |  |
| T2301      | ◆ | Driver's seat squab trimmed in 70% wool moquette  | Y | Y | Y |  |
| T2302      | ◆ | Driver's seat border trimmed in 70% moquette  | Y | Y | Y |  |
| T2303      | ◆ | Driver's seat squab trimmed in 85% wool moquette  | Y | Y | Y |  |
| T2304      | ◆ | Driver's seat border trimmed in 85% moquette  | Y | Y | Y |  |
| T2305      | ◆ | Driver's seat squab trimmed in 100% wool moquette   | Y | Y | Y |  |
| T2306      | ◆ | Driver's seat border trimmed in 100% moquette   | Y | Y | Y |  |
|            | □ | <b>ADDITIONALS</b>  |   |   |   |  |
| additional | ◆ |   |   |   |   |  |
| additional | ◆ |   |   |   |   |  |
| additional | ◆ |   |   |   |   |  |

